

```

1  #!/usr/bin/perl
2
3  # use strict;
4  # use URI::Escape;
5  my $buffer="";
6  my $var="";
7  my $val="";
8  my $colno="";
9  my @pairs="";
10 my $name="";
11 my $value="";
12 my $qs="";
13 my $nameindex=0;
14
15
16
17 if (length ($ENV{'QUERY_STRING'}) > 0)
18 {
19     $buffer = $ENV{'QUERY_STRING'};
20     @pairs = split(/&/, $buffer);
21     foreach $pair (@pairs)
22     {
23         ($name, $value) = split(/=/, $pair);
24         $value =~ s/%([a-fA-F0-9][a-fA-F0-9])/pack("C", hex($1))/eg;
25         $qs{$name} = $value;
26     }
27
28     if (( $qs{$name} eq "Other" ) )
29     {
30         print 'Content-type: text/html'."\n";
31         print "\n";
32         print '<SCRIPT LANGUAGE="JavaScript" SRC="/tgdialer/functions.js">'
33 ;
34         print '</SCRIPT>';
35
36         # print $qs{$name};
37         # print '<INPUT class="custom" value="" TYPE=TEXT id="CustomInput' .
38 $qs{'col'}.'" NAME="CustomInput' . $qs{'col'}.'" SIZE=16 > </input>';
39         print <<SWAP_INPUT;
40         <input type="button" id="RevertButton" onclick="undoUndo('/cgi-bin
41 /tgdialer/cgi-bin/Select-Control.cgi?col=$qs{col}&word=Revert','Select5')" style="h
42 eight:15px; width:33px; font-size:70%" value="Undo">
43         </input>
44         <br>
45         <INPUT class="custom" value="" TYPE=TEXT id="CustomInput$qs{'col'}"
46 "NAME="CustomInput$qs{'col'}" SIZE=11 style="border: 1px black solid; background-c
47 olor:#dfdfdf" >
48         </input>
49         <font style="font-size:60%">&nbsp;</font>
50         <br>
51 SWAP_INPUT
52     }
53
54     if (( $qs{$name} eq "Revert" ) )
55     {
56         $nameindex=$qs{col};
57         print 'Content-type: text/html'."\n";
58         print "\n";
59         print '<SCRIPT LANGUAGE="JavaScript" SRC="/tgdialer/functions.js">'
60 ;
61         print '</SCRIPT>';
62
63         print <<END_SELECT;
64         <DIV id="Select$nameindex" DIR="LTR" style="border:0px solid black
65 ">
66         <select id="Selector$nameindex" onchange="getcol($nameindex); first
67 col('/cgi-bin/tgdialer/cgi-bin/Select-Control.cgi?col=$nameindex&word='+this.value,
68 this.value);" maxlength="3" tabindex="3" name="Selecto$nameindex" class="select">

```

```
60         <option value = "NullSelect"></option>
61         <option value = "DatePosted">DatePosted</option>
62         <option value = "FirstName">FirstName</option>
63         <option value = "LastName">LastName</option>
64         <option value = "Phone">Phone</option>
65         <option value = "Address">Address</option>
66         <option value = "City">City</option>
67         <option value = "State">State</option>
68         <option value = "ZipCode">ZipCode</option>
69         <option value = "EMail">Email</option>
70         <option value = "HomePhone">HomePhone</option>
71         <option value = "WorkPhone">WorkPhone</option>
72         <option value = "WorkPhoneExt">WorkPhoneExt</option>
73         <option value = "CellPhone">CellPhone</option>
74         <option value = "BestTime">BestTime</option>
75         <option value = "LeadID">LeadID</option>
76         <option value = "DebtAmount">DebtAmount</option>
77         <option value = "MessageFile">MessageFile</option>
78         <option value = "Other">Other...</option>
79     </select>
80 </DIV>
81 END_SELECT
82 # print 'data';
83 # print $qs{col};
84     }
85 }
86 }
87 }
88 }
```