

```

1  #!/usr/bin/bash
2
3  # disable filename globbing
4  set -f
5  # echo "Content-type: text/plain; charset=iso-8859-1"
6  echo "Content-type: text/html;"
7  echo
8  name=`echo $0 | cut -d/ -f5- | tr "/" "-"`
9
10
11 echo $QUERY_STRING > /tmp/qs.$name
12
13 for item in `echo $QUERY_STRING | tr "&" "\n"`
14 do
15     echo $item >> /tmp/qs.$name
16     var=`echo $item | awk -F\= '{ print $1 }'`
17     val=`echo $item | awk -F\= '{ print $2 }'`
18     eval `echo $item`
19 done
20
21
22 if [ "$Mode" = "edit" ]
23 then
24     Table=AllData
25     tabledata=`mysql patriot_data -u apache -e "select SpouseFirstName, SpouseL
astName, FormerSpouseFirstName, FormerSpouseLastName, DivorceCounty, DivorceState
from $Table where JobNo like '$JobNo' \G;" | grep -v "1. row" | sed -e "s/: /=/"`
26
27     for record in `echo $tabledata`
28     do
29
30         eval `echo $record\`; | tr "+" " " | sed -e "s/%3F/?/g" | sed -e "s/%3D/=
/g" | sed -e "s/%29/\\/g" | sed -e "s/%28/\\/g" | sed -e "s/%23/#/g" | sed -e "s/
%2C/,/g" | sed -e 's/%2F/\\/g' | sed -e "s/%0D%0A/ /g" | sed -e "s/%24/$/g" | s
ed -e "s/%40/@/g" | sed -e "s/%3A/:/g" | sed -e "s/%25/%/g" | sed -e "s/0000-00-00/
--/g" | sed -e "s/=/\'/ " \;`
31
32         done
33 fi
34
35
36
37 if [ $Status = "Married" ]
38 then
39
40 cat << __married__
41 <SCRIPT LANGUAGE="JavaScript" SRC="functions.js">
42 </SCRIPT>
43         <TABLE WIDTH=990 BORDER=1 CELLPADDING=2 CELLSPACING=0 STYLE="">
44             <tr>
45                 <TD WIDTH=279 BGCOLOR="#33cc66">
46                     <P ALIGN=LEFT>SpouseFirstName</P>
47                 </TD>
48                 <TD WIDTH=277 BGCOLOR="#33cc66">
49                     <P ALIGN=LEFT>SpouseLastName</P>
50                 </TD>
51             </tr>
52             <tr>
53                 <TD WIDTH=279>
54                     <P><INPUT TYPE=TEXT tabIndex="5" id="Spouse
55 FirstName" NAME="SpouseFirstName" SIZE=26 STYLE="width: 2.8in; height: 0.32in" valu
e="$SpouseFirstName" ></P>
56                 </TD>
57                 <TD WIDTH=277>
58                     <P><INPUT TYPE=TEXT tabIndex="6" NAME="Spou
seLastName" SIZE=26 STYLE="width: 2.8in; height: 0.32in" value="$SpouseLastName"></
P>

```

```

59         </TD>
60     </tr>
61 <tr>
62     <td width=269 bgcolor="#33cc66">
63         <p align=left>SpouseDOB</p>
64     </td>
65     <td width=273 bgcolor="#33cc66">
66         <p align=left>DOM</p>
67     </td>
68     <td width=279 bgcolor="#33cc66">
69         <p align=left>SpouseSSN</p>
70     </td>
71 </tr>
72     <td width=277>
73         <select id="SpouseDOBMonth" onchange="document.getE
lementById('SpouseDOBDay').focus();" tabindex="7" name="SpouseDOBMonth" style="height: 0.32in">
74             <option value = ""></option>
75             <option value = "01">Jan</option>
76             <option value = "02">Feb</option>
77             <option value = "03">Mar</option>
78             <option value = "04">Apr</option>
79             <option value = "05">May</option>
80             <option value = "06">Jun</option>
81             <option value = "07">Jul</option>
82             <option value = "08">Aug</option>
83             <option value = "09">Sep</option>
84             <option value = "10">Oct</option>
85             <option value = "11">Nov</option>
86             <option value = "12">Dec</option>
87         </select>
88         <input type="text" tabindex="8" id="SpouseDOBDay" name="SpouseDOBDay" size="2" maxLength="2" style="height: 0.32in" onFocus="this.value=''; onkeyup="if (this.value.length == '2') { document.getElementById('SpouseDOBYear').focus(); }">
89         <input type="text" tabindex="9" id="SpouseDOBYear" name="SpouseDOBYear" size="4" maxLength="4" style="height: 0.32in" onFocus="this.value=''; onkeyup="if (this.value.length == '4') { document.getElementById('DOMMonth').focus(); }">
90     </td>
91     <td width=277>
92         <select id="DOMMonth" onchange="advance(this, this.value)" tabindex="10" name="DOMMonth" style="height: 0.32in">
93             <option value = ""></option>
94             <option value = "01">Jan</option>
95             <option value = "02">Feb</option>
96             <option value = "03">Mar</option>
97             <option value = "04">Apr</option>
98             <option value = "05">May</option>
99             <option value = "06">Jun</option>
100            <option value = "07">Jul</option>
101            <option value = "08">Aug</option>
102            <option value = "09">Sep</option>
103            <option value = "10">Oct</option>
104            <option value = "11">Nov</option>
105            <option value = "12">Dec</option>
106        </select>
107        <input type="text" tabindex="11" id="DOMDay" name="DOMDay" size="2" maxlength="2" style="height: 0.32in" onFocus="this.value=''; onkeyup="checkinputlength(this,this.value)">
108        <input type="text" tabindex="12" id="DOMYear" name="DOMYear" size="4" maxlength="4" style="height: 0.32in" onFocus="this.value=''; onkeyup="checkinputlength(this,this.value,this.id)">
109    </td>
110    <td>
111        <input type="text" tabindex="13" id="SpouseSSN1" name="SpouseSSN1" size="3" maxlength="3" style="height: 0.32in" onFocus="this.value=''; onkeyup="checkinputlength(this,this.value)">
112        <input type="text" tabindex="14" id="SpouseSSN2" na

```

```

me="SpouseSSN2" size="2" maxlength="2" STYLE="height: 0.32in" onFocus="this.value='
113     '"; onkeyup="checkinputlength(this,this.value)">
        <input type="text" tabindex="15" id="SpouseSSN3" na
me="SpouseSSN3" size="4" maxlength="4" STYLE="height: 0.32in" onFocus="this.value='
114     '"; onkeyup="checkinputlength(this,this.value)">
115     </TD>
116     </TR>
117     <TD WIDTH=277 BGCOLOR="#33cc66">
118         <P ALIGN=LEFT>WasPreviouslyDivorced</P>
119     </TD>
120 </TR>
121 <TD WIDTH=277>
    <A NAME="WasPreviouslyDivorced"></A><INPUT TYPE=checkbox tabindex="
21" value="Y" id="WasPreviouslyDivorced" NAME="WasPreviouslyDivorced" STYLE="" ONC
LICK="if (this.checked) { setcaller('WasPreviouslyDivorced'); openfunc('/cgi-bin/Ma
ritalStatus.cgi?Status=MarriedWasPreviouslyDivorced'); }">Y
122 </TD>
123 </TR>
124 </TABLE>
125 <TABLE BORDER=1 CELLPADDING=2 CELLSPACING=0 STYLE="">
126 <TR>
127 <TD WIDTH=990>
128 <DIV ID="PreviousDivorceInfo" DIR="LTR" style="border:3px
solid black">
129 <P>
130 </P>
131 </DIV>
132 </TD>
133 </TR>
134 </TABLE>
135 __married__
136 fi
137
138
139
140 if [ $Status = "Divorced" ]
141 then
142
143 cat << __divorced__
144 <SCRIPT LANGUAGE="JavaScript" SRC="functions.js">
145 </SCRIPT>
146 <TABLE WIDTH=990 BORDER=1 CELLPADDING=2 CELLSPACING=0 STYLE="">
147 <tr>
148 <TD WIDTH=279 BGCOLOR="#33cc66">
149 <P ALIGN=LEFT>FormerSpouseFirstName</P>
150 </TD>
151 <TD WIDTH=277 BGCOLOR="#33cc66">
152 <P ALIGN=LEFT>FormerSpouseLastName</P>
153 </TD>
154 <TD WIDTH=277 BGCOLOR="#33cc66">
155 <P ALIGN=LEFT>DivorceDecreeDate</P>
156 </TD>
157 </tr>
158 <tr>
159 <TD>
160 <TD WIDTH=279>
161 <P><INPUT TYPE=TEXT tabindex="5" id="Former
SpouseFirstName" NAME="FormerSpouseFirstName" SIZE=26 STYLE="width: 2.8in; height:
0.32in" value="$FormerSpouseFirstName"></P>
162 </TD>
163 <TD WIDTH=277>
164 <P><INPUT TYPE=TEXT tabindex="6" NAME="Form
erSpouseLastName" SIZE=26 STYLE="width: 2.8in; height: 0.32in" value="$FormerSpouse
LastName"></P>
165 </TD>
166 <TD WIDTH=277>
167 <select id="DivorceDecreeMonth" tabindex="7" name="
DivorceDecreeMonth" STYLE="height: 0.32in" onchange="document.getElementById('Divo
rceDecreeDay').focus();">

```

```

168         <option value = ""></option>
169         <option value = "01">Jan</option>
170         <option value = "02">Feb</option>
171         <option value = "03">Mar</option>
172         <option value = "04">Apr</option>
173         <option value = "05">May</option>
174         <option value = "06">Jun</option>
175         <option value = "07">Jul</option>
176         <option value = "08">Aug</option>
177         <option value = "09">Sep</option>
178         <option value = "10">Oct</option>
179         <option value = "11">Nov</option>
180         <option value = "12">Dec</option>
181     </select>
182
183         <input type="text" id="DivorceDecreeDay" tabindex="
184 8" name="DivorceDecreeDay" size="2" maxlength="2" STYLE="height: 0.32in" onFocus="
185 this.value=''; onkeyup="if (this.value.length == '2') { document.getElementById('
186 DivorceDecreeYear').focus(); }" >
187
188         <input type="text" id="DivorceDecreeYear" tabindex=
189 "9" name="DivorceDecreeYear" size="4" maxlength="4" STYLE="height: 0.32in" onFocus=
190 "this.value=''; onkeyup="checkinputlength(this,this.value)">
191     </TD>
192 </tr>
193 <tr>
194     <td width=269 bgcolor="#33cc66">
195         <p align=left>FormerSpouseDOB</p>
196     </td>
197     <td width=273 bgcolor="#33cc66">
198         <p align=left>FormerDOM</p>
199     </td>
200     <td width=279 bgcolor="#33cc66">
201         <p align=left>FormerSpouseSSN</p>
202     </td>
203 </tr>
204 <tr>
205     <td width=277>
206         <select id="FormerSpouseDOBMonth" tabindex="10" nam
207 e="FormerSpouseDOBMonth" STYLE="height: 0.32in"onchange="document.getElementById('
208 FormerSpouseDOBDay').focus();">
209         <option value = ""></option>
210         <option value = "01">Jan</option>
211         <option value = "02">Feb</option>
212         <option value = "03">Mar</option>
213         <option value = "04">Apr</option>
214         <option value = "05">May</option>
215         <option value = "06">Jun</option>
216         <option value = "07">Jul</option>
217         <option value = "08">Aug</option>
218         <option value = "09">Sep</option>
219         <option value = "10">Oct</option>
220         <option value = "11">Nov</option>
221         <option value = "12">Dec</option>
222     </select>
223     <input type="text" id="FormerSpouseDOBDay" tabindex
224 = "11" name="FormerSpouseDOBDay" size="2" maxlength="2" STYLE="height: 0.32in" onFoc
225 us="this.value=''; onkeyup="checkinputlength(this,this.value)">
226     <input type="text" id="FormerSpouseDOBYear" tabinde
227 x="12" name="FormerSpouseDOBYear" size="4" maxlength="4" STYLE="height: 0.32in" onF
228 ocus="this.value=''; onkeyup="checkinputlength(this,this.value)">
229 </TD>
230 <td width=277>
231     <select id="FormerDOMMonth" name="FormerDOMMonth" t
232 abindex="13" STYLE="height: 0.32in" onchange="document.getElementById('FormerDOMDa
233 y').focus();">
234     <option value = ""></option>
235     <option value = "01">Jan</option>
236     <option value = "02">Feb</option>
237     <option value = "03">Mar</option>

```

```

224             <option value = "04">Apr</option>
225             <option value = "05">May</option>
226             <option value = "06">Jun</option>
227             <option value = "07">Jul</option>
228             <option value = "08">Aug</option>
229             <option value = "09">Sep</option>
230             <option value = "10">Oct</option>
231             <option value = "11">Nov</option>
232             <option value = "12">Dec</option>
233         </select>
234         <input type="text" id="FormerDOMDay" tabindex="14"
name="FormerDOMDay" size="2" maxlength="2" STYLE="height: 0.32in" onFocus="this.val
ue=''; onkeyup="checkinputlength(this,this.value)">
235         <input type="text" id="FormerDOMYear" tabindex="15"
name="FormerDOMYear" size="4" maxlength="4" STYLE="height: 0.32in" onFocus="this.v
alue=''; onkeyup="checkinputlength(this,this.value)">
236     </TD>
237     <TD>
238         <input type="text" id="FormerSpouseSSN1" tabindex="
16" name="FormerSpouseSSN1" size="3" maxlength="3" STYLE="height: 0.32in" onFocus="
this.value=''; onkeyup="checkinputlength(this,this.value)">
239         <input type="text" id="FormerSpouseSSN2" tabindex="
17" name="FormerSpouseSSN2" size="2" maxlength="2" STYLE="height: 0.32in" onFocus="
this.value=''; onkeyup="checkinputlength(this,this.value)">
240         <input type="text" id="FormerSpouseSSN3" tabindex="
18" name="FormerSpouseSSN3" size="4" maxlength="4" STYLE="height: 0.32in" onFocus="
this.value=''; onkeyup="checkinputlength(this,this.value)">
241     </TD>
242 </TR>
243 </TABLE>
244 <TABLE BORDER=1 CELLPADDING=2 CELLSPACING=0 STYLE="">
245 <TR>
246 <TD WIDTH=1073>
247 <DIV ID="PreviousDivorceInfo" DIR="LTR" style="border:3px
solid black">
248 <P>
249 </P>
250 </DIV>
251 </TD>
252 </TR>
253 </TABLE>
254 __divorced__
255
256 fi
257
258
259 if [ "$Status" = "Single" ]
260 then
261 cat << __single__
262 <SCRIPT LANGUAGE="JavaScript" SRC="functions.js">
263 </SCRIPT>
264 <TABLE BORDER=1 CELLPADDING=2 CELLSPACING=0 STYLE="">
265 <TR>
266 <TD WIDTH=569 HEIGHT=17>
267 <A NAME="WasPreviouslyDivorced"></A><INPUT TYPE=checkbox tabindex="
5" value="Y" NAME="WasPreviouslyDivorced" STYLE="" ONCLICK="if (this.checked) { set
caller('WasPreviouslyDivorced'); openfunc('/cgi-bin/MaritalStatus.cgi?Status=Single
WasPreviouslyDivorced'); }"> WasPreviouslyDivorced
268 </TD>
269 </TR>
270 </TABLE>
271 <TABLE BORDER=1 CELLPADDING=2 CELLSPACING=0 STYLE="">
272 <TR>
273 <TD WIDTH=1073>
274 <DIV ID="PreviousDivorceInfo" DIR="LTR" style="border:3px
solid black">
275 <P>
276 </P>
277 </DIV>

```

```

278                 </TD>
279                 </TR>
280             </TABLE>
281     __single__
282     fi
283
284
285     if [ "$Status" = "MarriedWasPreviouslyDivorced" ] || [ "$Status" = "SingleWasPrevio
uslyDivorced" ] || [ "$Status" = "DivorcedWasPreviouslyDivorced" ]
286     then
287         if [ "$Status" = "MarriedWasPreviouslyDivorced" ]
288         then
289             tabindexstart=22
290             fi
291
292         if [ "$Status" = "DivorcedWasPreviouslyDivorced" ]
293         then
294             tabindexstart=20
295             fi
296
297         if [ "$Status" = "SingleWasPreviouslyDivorced" ]
298         then
299             tabindexstart=6
300             fi
301
302     cat << __previouslydivorced__
303     <SCRIPT LANGUAGE="JavaScript" SRC="functions.js">
304     </SCRIPT>
305             <TABLE BORDER=1 CELLPADDING=2 CELLSPACING=0 STYLE="">
306                 <TR>
307                     <TD height=17 BGCOLOR="#33cc66">
308                         <P ALIGN=LEFT>FormerSpouseFirstName</P>
309                     </TD>
310                     <TD BGCOLOR="#33cc66">
311                         <P ALIGN=LEFT>FormerSpouseLastName</P>
312                     </TD>
313                     <TD BGCOLOR="#33cc66">
314                         <P ALIGN=LEFT>FormerDOM</P>
315                     </TD>
316                     <TD BGCOLOR="#33cc66">
317                         <P ALIGN=LEFT>PreviousDivorceDecreeDate</P>
318                     </TD>
319                 </TR>
320                 <TR>
321                     <TD HEIGHT=17>
322                         <P><INPUT TYPE=TEXT tabindex="`expr ${tabin
dexstart}`" Id="FormerSpouseFirstName" NAME="FormerSpouseFirstName" SIZE=26 STYLE="
width: 2.8in; height: 0.32in" value="$FormerSpouseFirstName" ></P>
323                         </TD>
324                     <TD>
325                         <P><INPUT TYPE=TEXT tabindex="`expr ${tabin
dexstart} + 1`" NAME="FormerSpouseLastName" SIZE=26 STYLE="width: 2.8in; height: 0.
32in" value="$FormerSpouseLastName" ></P>
326                         </TD>
327                     <TD>
328                         <select id="FormerDOMMonth" tabindex="`expr ${tabin
dexstart} + 2`" name="FormerDOMMonth" STYLE="height: 0.32in" onchange="document.ge
tElementById('FormerDOMDay').focus();">
329                             <option value =""></option>
330                             <option value = "01">Jan</option>
331                             <option value = "02">Feb</option>
332                             <option value = "03">Mar</option>
333                             <option value = "04">Apr</option>
334                             <option value = "05">May</option>
335                             <option value = "06">Jun</option>
336                             <option value = "07">Jul</option>
337                             <option value = "08">Aug</option>
338                             <option value = "09">Sep</option>
339                             <option value = "10">Oct</option>

```

```

340             <option value ="11">Nov</option>
341             <option value ="12">Dec</option>
342         </select>
343         <input type="text" tabindex="\`expr ${tabindexstart}
+ 3`" id="FormerDOMDay" name="FormerDOMDay" size="2" maxlength="2" STYLE="height:
0.32in" onFocus="this.value=''; onkeyup="if (this.value.length == '2') { document
.getElementById('FormerDOMYear').focus(); }">
344         <input type="text" tabindex="\`expr ${tabindexstart}
+ 4`" id="FormerDOMYear" name="FormerDOMYear" size="4" maxlength="4" STYLE="height
: 0.32in" onFocus="this.value=''; onkeyup="if (this.value.length == '4') { documen
t.getElementById('DivorceDecreeDateMonth').focus(); }">
345     </TD>
346     <TD>
347         <select id="PreviousDivorceDecreeMonth" tabindex="\`
expr ${tabindexstart} + 5`" name="PreviousDivorceDecreeMonth" STYLE="height: 0.32i
n" onchange="document.getElementById('PreviousDivorceDecreeDay').focus();">
348             <option value =" "></option>
349             <option value ="01">Jan</option>
350             <option value ="02">Feb</option>
351             <option value ="03">Mar</option>
352             <option value ="04">Apr</option>
353             <option value ="05">May</option>
354             <option value ="06">Jun</option>
355             <option value ="07">Jul</option>
356             <option value ="08">Aug</option>
357             <option value ="09">Sep</option>
358             <option value ="10">Oct</option>
359             <option value ="11">Nov</option>
360             <option value ="12">Dec</option>
361         </select>
362         <input type="text" tabindex="\`expr ${tabindexstart}
+ 6`" id="PreviousDivorceDecreeDay" name="PreviousDivorceDecreeDay" size="2" maxle
ngth="2" STYLE="height: 0.32in" onFocus="this.value=''; onkeyup="if (this.value.le
ngth == '2') { document.getElementById('PreviousDivorceDecreeYear').focus(); }">
363         <input type="text" tabindex="\`expr ${tabindexstart}
+ 7`" id="PreviousDivorceDecreeYear" name="PreviousDivorceDecreeYear" size="4" max
length="4" STYLE="height: 0.32in" onFocus="this.value=''; onkeyup="if (this.value.
length == '4') { document.getElementById('PreviousDivorceCounty').focus(); }">
364     </TD>
365 </TR>
366 <TR>
367     <TD HEIGHT=17 BGCOLOR="#33cc66">
368         <P ALIGN=LEFT>DivorceCounty</P>
369     </TD>
370     <TD BGCOLOR="#33cc66">
371         <P ALIGN=LEFT>DivorceState</P>
372     </TD>
373     <TD BGCOLOR="#b3b3b3">
374         <P ALIGN=LEFT><BR>
375         </P>
376     </TD>
377     <TD BGCOLOR="#b3b3b3">
378         <P><BR>
379         </P>
380     </TD>
381 </TR>
382 <TR>
383     <TD WIDTH=269 HEIGHT=17>
384         <P><INPUT TYPE=TEXT tabindex="\`expr ${tabin
dexstart} + 8`" id="DivorceCounty" NAME="DivorceCounty" SIZE=26 STYLE="width: 2.8i
n; height: 0.32in" value="$DivorceCounty" ></P>
385     </TD>
386     <TD WIDTH=273>
387         <P><INPUT TYPE=TEXT maxlength="2" tabindex=
"\`expr ${tabindexstart} + 9`" id="DivorceState" NAME="DivorceState" SIZE=2 class="s
tate" onFocus="this.value=''; onkeyup="if (this.value.length == '2') { document.
getElementById('NumberOfChildren').focus(); }"; onBlur="this.value = this.value.toU
pperCase();" value="$DivorceState" ></P>
388     </TD>

```

```
389 <TD WIDTH=279>
390 <P><BR>
391 </P>
392 </TD>
393 <TD WIDTH=277>
394 <P><BR>
395 </P>
396 </TD>
397 </TR>
398 </TABLE>
399 __previouslydivorced__
400 fi
401
```